

# Declaration of Performance



AJS Window Installations Ltd.  
Bridge Trading Estate  
Smethwick  
B66 2BZ

16

DoP No: 3- 20/11/2015

**Liniar Glazed top hung Casement Window**  
Intended for use in domestic or commercial refurbishment or new building applications.

**Annex ZA.1 of BS EN 14351-1:2006+A1:2010**

**Water tightness: No Performance Determined**

**Dangerous substances: None released under normal indoor use.**

**Resistance to wind load: No Performance Determined**

**Load-bearing capacity of safety devices: Pass, 350N when fitted (1 & 2)**

**Acoustic performance: No Performance Determined**

**Thermal transmittance: No worse than 1.6 W/m<sup>2</sup>k (3)**

**Radiation Properties: No Performance Determined**

**Air permeability: No Performance Determined**

**A Factory Production Control (FPC) system is established, documented and maintained in accordance with AVCP System 3 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010.**

- (1) Report No. W13001-2 dated 05/02/2013 for Safety & Security friction hinges with built in restrictor - Notified Test Body: Build Check No. 4044**
- (2) Report No. W13001-20 dated 05/02/2013 for Safety & Security friction hinges with built in restrictor - Notified Test Body: Build Check No. 4044**
- (3) Thermal Transmittance calculation approved by Build Check Notified Test Body No. 4044 Report No. The Oracle**

Scott O'Sullivan  
Director

AJS Window Installations Ltd  
20 November 2015